

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Delicia[®] **SLUGGOFF**[®] *Lentils*

ACTIVE CONSTITUENT: 30g/kg METALDEHYDE
*FOR THE CONTROL OF SNAILS AND SLUGS IN
AGRICULTURAL AND HORTICULTURAL CROPS*



NET CONTENTS: 500 kg

Manufactured by:
frunol delicia[®] GmbH
Hansastraße 74 b D-59425 Unna
Germany

Emergency Phone
(03) 9308 9688

APVMA Approval Number: 60931/500kg/0409

Distributed by:
Animal Control Technologies (Aust) Pty Ltd
46-50 Freight Drive Somerton Vic 3062
Australia

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply to crops once windrowed.

DO NOT apply to edible plant parts or to crops where bait may be collected with harvested commodity.

DO NOT place baits in heaps.

DO NOT use in pastures.

CROP/SITUATION	PEST	RATE	HOW TO APPLY
Agricultural crops Cereals, oilseeds (including poppies), pulses	Snails and slugs	3kg/ha or 30g/100m ²	Broadcast evenly over the surface of the ground where slugs and snails are active.
Horticultural crops Fruit (including grapevines), & vegetables		6kg/ha or 60g/100m ²	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

This product contains denatonium benzoate bitter flavour as a child and pet taste deterrent.

WITHHOLDING PERIOD:

HARVEST

HORTICULTURAL CROPS, VINEYARDS: DO NOT apply later than 7 days (1 week) before harvest.

AGRICULTURAL CROPS: DO NOT apply later than 8 weeks before harvest.

GRAZING:

DO NOT allow stock to graze treated areas.

GENERAL INSTRUCTIONS:

Delicia® SLUGGOFF® Lentils have a stomach and contact action in slugs and snails that induces heavy secretion of mucous with the consequence that slugs and snails die in a reasonably short time from dehydration. Delicia® SLUGGOFF® Lentils are particularly active against molluscs. If the product is applied according to the directions of use, non-target organisms will not be affected. Addition of a bittering agent has made Delicia® SLUGGOFF® Lentils distasteful to mammals and birds.

Best results are achieved by application after rain, watering or during damp and humid weather when the snails and slugs are most actively seeking food but not when rain is imminent.

Scatter baits evenly using an appropriate applicator by ground or air, or direct drill with seed for slug control. Clean up spilled baits after filling applicator or whenever the baits are spilt.

PRECAUTIONS:

DO NOT use human flaggers/markers unless they are protected by engineering controls such as enclosed cabs.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK:

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. If pets or livestock are poisoned, contact a veterinary surgeon.

STORAGE AND DISPOSAL:

Store in the closed original container in a dry, cool, well ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuff and fertilisers. Before disposal ensure container is completely empty by shaking. Puncture or shred and bury containers in a local authority landfill. If no landfill is available bury the containers below 500mm in a disposal pit specially marked for this purpose, clear of waterways, desirable vegetation and roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

When opening the container and loading and if applying by hand, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length rubber gloves. After each day's use, wash gloves and contaminated clothing. Wash hands after use.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet.



DOM:

BATCH: